

## Homework Assignment #11

### Approximation Algorithms (Winter Semester 2023/24)

#### Exercise 1 – MAX-SAT

- a) Show that the following algorithm is a  $1/2$ -approximation for MAX-SAT. Let  $\tau$  be an arbitrary truth assignment and  $\tau'$  be its complement, that is, a variable is true in  $\tau$  if and only if it is false in  $\tau'$ . Compute the weight of clauses satisfied by  $\tau$  and by  $\tau'$ , then output the better assignment. **[4 points]**

In the following, let a  $k$ -CNF-SAT instance denote a formula in conjunctive normal form, where each clause contains exactly  $k$  literals and every variable occurs at most once per clause.

- b) Show that every 3-CNF-SAT instance on at most 7 clauses is satisfiable. **[2 points]**
- c) Recall the algorithm that just outputs a uniformly random truth assignment. It runs in polynomial time and we proved a lowerbound on the expected weight of the satisfied clauses. We then derandomised this algorithm. This makes the algorithm slower and more complicated. Consider instead the following algorithm for MAX-3-CNF-SAT: keep guessing truth assignments until you find one that satisfies  $7/8$  of the clauses. Show that this algorithm runs in expected polynomial time. Compare the advantages and disadvantages of these three algorithms for MAX-3-CNF-SAT. **[8 points]**
- d) Recall the MAXCUT problem: find a set  $S \subseteq V$  such that the number of edges between  $S$  and its complement is as large as possible. Solve MAXCUT using MAX-2-CNF-SAT. **[6 points]**